InoTec

SCAMAX® SORTER

Scan & Sort

with up to 5 sorting trays

- ■ **Sorting at full scanning speed**

- ■ **By patch code, barcode, length, database and much more**

- ■ **Available as double or quadruple sorter**

- ■ **For all SCAMAX® 3x1 and 6x1 document scanners**

- ■ **Fully accessible paper path**

- ■ **Can be installed on site**

Product Videos
Scan the QR code now and experience product features in live operation.

Production Scanners Made in Germany

General Technical Specification

Execution (depending on model)	Two resp. four front outputs trays, in addition to rear straight paper throughput
Throughput	Full throughput, independent of event: SCAMAX 6x1: max. 210 pages/minute SCAMAX 3x1: max. 120 pages/minute
Sorting Events (freely logically linkable as per AND/OR)	Patchcode, Barcode 1D & 2D (2/5 interleaved, Code39, Code128, DataMatrix, QR-Code), Document length, Counter / Indexing, Document integrity detection, Database (CSV file)

Paper Processing / Handling

General Document Output	Adjustable paper stop and asymmetrically adjustable paper guides

Max. Stack Height Document Output (for 80 g/m²)	Bottom output tray: 100 mm (approx. 700 sheets) Upper output tray: 75 mm (approx. 500 sheets)
Max. Paper Format Document Output	app. DIN A3 (317,5 mm width, 420 mm length)
Max. Admission Height	max. 1 mm
Paper Weight	30 g/m² to 250 g/m²

Technical Data 6x1

Height	for 2 output trays: 715 mm for 4 output trays: 935 mm
Weight incl. Scanner (without additional Options)	for 2 output trays: 77,0 kg for 4 output trays: 87,8 kg

Technical Data 3x1

Height	for 2 output trays: 590 mm for 4 output trays: 810 mm
Weight incl. Scanner (without additional Options)	for 2 output trays: 62,0 kg for 4 output trays: 73,0 kg